

## 중증근무력증위기: 집중치료적 관점



김 우 경

한림대학교 의과대학 강동성심병원 신경과

### MG crisis: intensivist's perspective

Woo-Kyung Kim, MD, PhD

Department of Neurology, Kangdong Sacred Heart Hospital, Hallym University College of Medicine, Seoul, Korea

Myasthenia gravis(MG) is a rare autoimmune disorder affecting neuromuscular junction, leading to fatigability and fluctuating motor weakness. The most important aspect of neurocritical care of MG is the detection and management of the myasthenic crisis. Myasthenic crisis is a life-threatening condition characterized by worsening of muscle weakness, resulting in respiratory failure that requires intubation and mechanical ventilation. Assessment of respiratory dysfunction and supportive respiratory management are imperative in MG crisis. Most patients have a predisposing factor that triggers the crisis, generally an infection of the respiratory tract. Management of MG crisis requires admission of the patient into a neurological intensive care unit and timely institution of an efficient and safe treatment. Today with the modern neurocritical care, mortality rate of MG crisis is less than 5%.

**Key Words:** Myasthenia gravis, Myasthenia gravis crisis, Critical care

Woo-Kyung Kim, MD, PhD

Department of Neurology, Kangdong Sacred Heart Hospital, Hallym  
University College of Medicine, Seoul, Korea

Tel: +82-2-2224-2206 Fax: +82-2-487-6330

E-mail: wkkim@hallym.or.kr