

1.

- d. Insomnia or hypersomnia nearly every day.
- e. Psychomotor agitation or retardation nearly every day (observable by others, not merely subjective feelings of restlessness or being slowed down).
- f. Fatigue or loss of energy nearly every day.
- g. Feelings of worthlessness or excessive or inappropriate guilt (which may be delusional) nearly every day (not merely self reproach or guilt about being sick).
- h. Diminished ability to think or concentrate, or indecisiveness, nearly every day (either by subjective account or observed)
- i. Recurrent thought of death (not just fear of dying), recurrent suicidal ideation without a specific plan, or a suicide attempt or a specific plan for committing suicide.

(quality of life)

2.

depression

- a. Depressed mood most of the day, nearly every day, as indicated by either subjective report (feels sad or empty) or observation
- b. Markedly diminished interest or pleasure in all, or almost all, activities most of the day, nearly every day (as indicated by either subjective account or observations)
- c. Significant weight loss when not dieting or weight gain, or decrease or increase in appetite nearly every day.

DSM Jung, BDI, Hamilton depression, Montgomery Asberg Depression Rating Scale

3.

64.1% 12% 3-11 40% (major 20%, minor 20%)

* Address for correspondence

Jong S. Kim, M.D.

Department of Neurology, Asan Medical Center, University of Ulsan College of Medicine Song-pa PO Box 145, Seoul, 138-600, Korea
Tel : +82-2-2224-3442 Fax : +82-2-474-4691
E-mail : jongkim@www.amc.seoul.kr

delirium

Andersen 25 66

serotonin reuptake inhibitor citalopram

6

serotonin reuptake inhibitor가 가

REFERENCES

1. Fedoroff JP, Starkstein SE, Parikh RM, Price TR, Robinson RG. Are depressive symptoms nonspecific in patients with acute stroke? *Am J Psychiat* 1991;148:1172-1176.
2. Lipsey JR, Spencer WC, Rabins PV, Robinson RG. Phenomenological comparison of poststroke depression and functional depression. *Am J Psychiat* 1986;143:527-529.
3. Robinson RG, Kubos KL, Starr LB, Rao K, Price TR. Mood disorder in stroke patients: importance of location of lesion. *Brain* 1984;107:81-93.
4. Sinyor D, Amato P, Kaloupek RG, Becker R, Goldenberg M, Coopersmith H. Post-stroke depression: relationships to functional impairment, coping strategies, and rehabilitation outcome. *Stroke* 1986;17:1102-1107.
5. Ebrahim S, Barer KD, Nouri F. Affective illness after stroke. *Br J Psychiatry* 1987;151:52-56.
6. Wade DT, Legh-Smith J, Hewer RA. Depressed mood after stroke: a community study of its frequency. *Br J Psychiatry* 1987;151:200-205.
7. Starkstein SE, Robinson RG. Affective disorders and cerebral vascular disease. *Br J Psychiatry* 1989;154:170-182.
8. House A, Dennis M, Warlow C, Hawton K, Molyneux A. Mood disorders after stroke and their relation to lesion location. *Brain* 1990;113:1113-1129.
9. House A, Dennis M, Mogridge L, Warlow C, Hawton K, Jones L. Mood disorders in the year after the stroke. *Br J Psychiatry* 1991;158:83-92.
10. Herrmann M, Bartels C, Schumacher M, Wallesch CW. Poststroke depression. Is there a pathoanatomic correlate for depression in postacute stage of stroke? *Stroke* 1995;26:850-856.
11. MacHale SM, O'Rourke SJ, Wardlaw JM, Dennis MS. Depression and its relation to lesion location after stroke. *J Neurol Neurosurg Psychiatry* 1998;64:371-374.
12. Robinson RG, Bolduc PL, Price TR. Two year longitudinal study of poststroke mood disorders: diagnosis and outcome at one and two years. *Stroke* 1987;18:837-843.
13. Astrom M, Adolfsson R, Asplund K. Major depression in stroke patients. *Stroke* 1993;24:976-982.
14. Morris PLP, Robinson RG, Raphael B. Prevalence and course of post-stroke depression in hospitalized patients. *Int J Psychiat Med* 1990;20:327-342.
15. Starkstein SE, Robinson RG, Berthier ML, Price TR. Depressive disorders following posterior circulation as compared with middle cerebral artery infarcts. *Brain* 1988;111:375-387.
16. Kim JS, Choi-Kwon S. Post-stroke depression and emotional incontinence: correlation with lesion location. *Neurology* 2000;54:1805-1810.
17. Andersen G, Vestergaard K, Ingemann-Nielsen M, Lauritzen L. Risk factors for poststroke depression. *Acta Psychiatr Scand* 1995;92:193-198.
18. Herrmann N, Black SE, Lawrence J, Szekely C, Szalai JP. The Sunnybrook stroke study: A prospective study of depressive symptoms and functional outcome. *Stroke* 1998;29:618-624.
19. Dam H, Pedersen HE, Ahlgren P. Depression among patients with stroke. *Acta Psychiatr Scand* 1989;80:118-124.
20. Burvill PW, Johnson GA, Stewart-Wynne EG, Anderson CS, Jamrozik KD. The place of site of lesion in the aetiology of post-stroke depression. *Cerebrovasc Dis* 1996;6:208-215.
21. Pohjasvaara T, Leppavuori A, Siira I, Vataja R, Kaste M, Erkinjuntti T. Frequency and clinical determinants of poststroke depression. *Stroke* 1998;29:2311-2317.
22. Murray GB, Shea V, Conn DK. Electroconvulsive therapy for poststroke depression. *J Clin Psychiat* 1987;47:258-260.
23. Masand P, Murray GB, Pickett P. Psychostimulants in post-stroke depression. *J Neuropsychiat Clin Neurosci* 1991;3:23-27.
24. Lipsey JR, Robinson RG, Pearlson GD. Nortriptyline treatment for post-stroke depression: a double bond trial. *Lancet* 1984;i:297-300.
25. Anderson G, Vestergaard K, Laauritzen L. Effective treatment of post-stroke depression with the selective serotonin reuptake inhibitor citalopram. *Stroke* 1994;25:1099-1104.